INDEX OF AUTHORS AND SUBJECTS

Vol. 128

Affinities of *Pterodroma kurodai*, 297.
Age of *Lagopus lagopus*, 282–285.
AR, A. *see* YOM-TOV, Y.
ASH, J. S., A *Ploceus* sp. nov. from Uganda, 330–336.
Avifauna of Brazilian Atlantic forests, 167–168.

Bait-fishing by *Ardeola striata*, 285–290.
Behaviour
  Chionis alba, 48–56.
  Ibidorhyncha struthersii, 37–47.
  Lanius excubitorius, 214–233.
  Parus major, 103–114.
BIERREGAARD, R. O., Changes in bird communities in virgin forest and isolated Amazonian forest fragments, 166–167.
Bigny in *Bubulcus ibis*, 419–422.
BISHTON, G., The diet and foraging behaviour of the Dunnock *Prunella modularis* in a hedgerow habitat, 526–539.
Breeding
  Aquila audax, 177–194.
  Buteo galapagoensis, 337–347.
  Calonectris diomedea, 423–426.
  Diomedea chlororhynchos, 195–213.
  Diomedea chrysostoma, 195–213.
  Diomedea exulans, 9–22, 195–213.
  Diomedea irrorata, 492–501.
  Diomedea melanophris, 195–213.
  Fulmarus glacialis, 290–296.
  Lagopus lagopus, 282–285.
  Lanius excubitorius, 214–233.
  Phoebetria fusca, 195–213.
  Phoebetria palpebrata, 195–213.
  Quelea quelea, 469–482.
  Tetrao tetrix, 65–72.
  Tetrao urogallus, 65–72.
  Tyto alba, 81–90.
BRITISH ORNITHOLOGISTS' UNION
  Accounts 1985, 465–467.
  Annual General Meeting 1986, 598–600.
  Current Notes and Notices, 159–162, 314–316, 456–459, 604–608.
  Records Committee: Twelfth Report (April 1986), 601–603.
  Report of the Council 1985, 460–464.
BROOKE, M. DE L., The vocal systems of two nocturnal burrowing petrels, the White-chinned *Procellaria aequinoctialis* and the Grey *P. cinerea*, 502–512.
BROOKER, M. G., *see* RIDPATH, M. G.
BROSSET, A., Response of birds to habitat modification in Gabon, 171–172.
BRUGGERS, R. L., *see* JAEGER, M. M.
BUXTON, E. J. M., Leg-feathering in house martins *Delichon* spp., 297–298.

CHARDINE, J. W., *see* MORRIS, R. D.
Chicks
  Alectoris rufa, 57–64.
  Perdix perdix, 57–64.
  Phasianus cochicus, 57–64.
CLUTTON-BROCK, T. H. Sex ratio variation in birds, 317–329.
Communities in Amazonian forests, 166–167.
Conservation in Malaysia, 172–173.
COOPER, J., Diving patterns of Cormorants *Phalacrocoracidae*, 562–570.
COOPER, S. D., *see* WINKLER, D. W.
Cooperative breeding in shrikes, 214–233.
Courtship
  Corapipo gutturalis, 91–102.
  Ibidorhyncha struthersii, 44–45.
CRANBROOK, Earl of., Conservation strategies for the Malaysia States: the World Wildlife Fund initiative, 172–173.
CROXALL, J. P., *see* HECTOR, J. A. L.
Cytogenetics of Turacos, 364–381.

DAWSON, A., The effect of restricting the daily period of food availability on testicular growth of Starlings *Sturnus vulgaris*, 572–575.
Diet, *see* Feeding and food.
Distribution
  Tetrao tetrix, 65–72.
  Tetrao urogallus, 65.
Diving patterns of Cormorants, 562–570.
Dominance of *Chionis alba*, 48–56.
DOTT, H. E. M., The spread of the House Sparrow *Passer domesticus* in Bolivia, 132–137.
DOWSETT, R. J. & DOWSETT-LEMAIRE, F., Population dynamics and the mobility of forest birds in Malawi, 169–170.
DOWSETT-LEMAIRE, F., Frugivory and seed dispersal by birds and mammals in the Afromontane evergreen forests of Malawi, 168–169.
DOWSETT-LEMAIRE, F., *see* DOWSETT, R. J.
DUNNET, G. M., *see* OLLASON, J. C.
DURKIN, J. W., *see* WILSON, R. T.

EAST, M. L. & HOFER, H., The use of radio-tracking for monitoring Great Tit *Parus major* behaviour: a pilot study, 103–114.
Ecology
  Diomedea chlororhynchos, 195–213.
  Diomedea chrysostoma, 195–213.
  Diomedea exulans, 195–213.
  Diomedea melanophris, 195–213.
  Phoebetria fusca, 195–213.

Phoebetria palpebrata, 195–213.
Podiceps nigricollis, 483–491.
Eggs and egg laying
Diomedea irrorata, 496–498.
Fulmarus glacialis, 294–295.
Spheniscus demersus, 1–8.
Tyto alba, 83–85.
Endocrinology of *Diomedea exulans*, 9–22.
ENS, B. J. & GOSS-CUSTARD, J. D., Piping as a display of dominance by wintering Oystercatchers *Haematopus ostralegus*, 382–391.
ERICKSON, W. A., *see* JAEGER, M. M.
Eruptions of seed-eating birds, 137–140.
EVANS, P. G. H., Ecological aspects of wing moult in the European Starling *Sturnus vulgaris*, 558–561.
EVANS, P. G. H., The effects of different forms of land use on tropical forest birds in Dominica, West Indies, 168.

FAABORG, J., Reproductive success and survivorship of the Galapagos Hawk *Buteo galapagoensis*: potential costs and benefits of cooperative polyandry, 337–347.
FEDUCCIA, A., The scapulocoracoid of flightless birds: a primitive avian character similar to that of theropods, 128–132.
Feeding and food
Actitis hypoleucos, 23–36.
Aptenodytes forsteri, 409–413.
Albatrosses of Crozet Island, 202–207.
Ardea cinerea, 392–405.
Ardeola striata, 285–290.
Bulweria bulwerii, 570–572.
Corapipo gutturalis, 93.
Corvus frugilegus, 542–544.
Gallinula chloropus, 414–418.
Ibidorhyncha struthersii, 37–47.
Parus palustris, 513–525.
Podiceps nigricollis, 487–489.
Prunella modularis, 526–539.
Fledging and fledglings
Accipiter nisus, 73–80.
Lanius excubitorius, 226–228.
Tyto alba, 85–87.
Flock structure of *Corvus frugilegus*, 540–557.
FOLLETT, B. K. *see* HECTOR, J. A. L.
Food of breeding Grey Herons, 392–405.
Food storage by *Parus palustris*, 513–525.
Forest birds in Rwanda, 170.
Frugivory and seed dispersal by birds and mammals, 168–169.
FUJIOKA, M., Two cases of bigyny in the Cattle Egret *Bubulcus ibis*, 419–422.

GOSS-CUSTARD, J. D., *see* ENS, B. J.

Habitat of *Actitis hypoleucos*, 23–36.
Habitat changes in Malaysia, 174–175.
Habitat modification in Gabon, 171.
HARRISON, C. J. O., The affinities of the extinct Aldabra Gadfly Petrel *Pterodroma kurodai*, 297.
HECTOR, J. A. L., CROXALL, J. P. & FOLLETT, B. K., Reproductive endocrinology of the Wandering Albatross *Diomedea exulans* in relation to biennial breeding and deferred sexual maturity, 9–22.
HIGUCHI, H., Bait-fishing by the Green-backed Heron *Ardeola striata* in Japan, 285–290.
HOFER, H., *see* EAST, M. L.

JAEGER, M. M., BRUGGERS, R. L., JOHNS, B. E. & ERICKSON, W. A., Evidence of itinerant breeding of the Red-billed Quelea *Quelea quelea* in the Ethiopian Rift Valley, 469–482.
JOHNS, B. E., *see* JAEGER, M. M.
JONES, M. J., Breeding synchrony of Cory's Shearwater *Calonectris diomedea* on Selvagem Grande, 423–426.
JOUVENTIN, P. *see* WEIMERSKIRCH, H.

KREBS, J. R., *see* STEVENS, T. A.

LARSON, D. L. & BOCK, C. E., Eruptions of some North American boreal seed-eating birds, 1901–1980, 137–140.
Leg-feathering in *Delichon* spp., 297–298.

MACDONALD, R. A. & WHELAN, J., Seasonal variations in feeding range and flock structure of the Rook *Corvus frugilegus* in eastern Ireland, 540–557.
MARTIN, G. R. Sensory capacities and the nocturnal habit of owls (Strigiformes), 266–277.
MARTINS TEIXEIRA, D. L. The avifauna of the northeastern Brazilian forests: a case of mass extinction?, 167–168.
MATHEW, K. L. & NAIK, R. M., Interrelation between moulting and breeding in a tropical population of the House Sparrow *Passer domesticus*, 260–265.
Measurement of egg volume, 278–282.
MOLLER, A. P., Mating systems among European passerines, a review, 234–250.
MORRIS, R. D. & CHARDINE, J. W., A device for measuring the volume of eggs: description and field evaluation, 278–282.
Mortality, *see* Survival.
MOSER, M. E., Prey profitability for adult Grey Herons *Ardea cinerea* and the constraints on prey size when feeding young nestlings, 392–405.
MOSS, D., *see* NEWTON, I.
MOSS, R., Rain, breeding success and distribution of Capercaillie *Tetrao urogallus* and Black Grouse *Tetrao tetrix* in Scotland, 65–72.
Moulting
Passer domesticus, 260–265.

Podiceps nigricollis, 486.
Sturnus vulgaris, 558–561.
MURPHY, E. C., SPRINGER, A. M. & ROSENEAU, D. G., Population status of Common Guillemots *Uria aalge* at a colony in Western Alaska: results and simulations, 348–363.
MYRBERGET, S., Age and breeding of Willow Grouse *Lagopus lagopus*, 282–285.

NAIK, R. M., *see* MATHEW, R. M.
Nest-sites of *Aquila chrysaetos*, 406–408.
New weaver from Uganda, 330–336.
NEWTON, I. & MOSS, D., Post-fledging survival of Sparrowhawks *Accipiter nisus* in relation to mass, brood size and brood composition at fledging, 73–80.
Northern migrants in Malaysia, 173.

Obituaries
JEAN DELACOUR, 141.
H. MORREY SALMON, C.B.E., M.C., D.L., 427.
OFFREDO, C. & RIDOUX, V., The diet of Emperor Penguins *Aptenodytes forsteri* in Adélie Land, Antarctica, 409–413.
OLLASON, J. C. & DUNNET, G. M., Relative effects of parental performance and egg quality on breeding success of Fulmars *Fulmarus glacialis*, 290–296.
OWEN PRUM, R., The displays of the White-throated Manakin *Corapipo gutturalis* in Suriname, 91–102.

PIERCE, R. J., Observations on behaviour and foraging of the Ibisbill *Ibidorhyncha struthersii* in Nepal, 37–47.
Piping calls of Oystercatchers, 382–391.
Plumage of *Corapipo gutturalis*, 93.
Population dynamics of forest birds in Malawi, 169–170.
Populations of Amazonian birds, 165–166.
Populations of *Uria aalge*, 348–363.

Radio tracking of *Parus major*, 103–114.
RANDS, M. R. W., The survival of gamebird (Galliformes) chicks in relation to pesticide use on cereals, 57–64.
Raptor communities in primary and secondary habitats, 172.
Recent Ornithological Publications, 142–158, 299–313, 428–455, 576–597.
RECHTEN, C., Factors determining the laying date of the Waved Albatross *Diomedea irrorata*, 492–501.
Reproduction, *see* Breeding.
Reproductive success of Galapagos Hawks, 337–347.
RIDOUX, V., *see* OFFREDO, C.
RIDPATH, M. G. & BROOKER, M. G., The breeding of the Wedge-tailed Eagle *Aquila audax* in relation to its food supply in arid Western Australia, 177–194.
ROSENEAU, D. G., *see* MURPHY, E. C.
RUS HOELZEL, A., Song characteristics and response to playback of male and female Robins *Erithacus rubecula*, 115–127.

Scapulocoracoid of flightless birds, 128–132.
Sensory capacities of owls, 266–277.
Sex ratio variation in birds, 317–329.
SHAW, P., The relationship between dominance behaviour, bill size and age group in Greater Sheathbills *Chionis alba*, 48–56.
SHELDON, F. H., Habitat changes potentially affecting birdlife in Sabah, east Malaysia, 174–175.
Song
Erithacus rubecula, 115–127.
Ficedula albicollis, 251–259.
Ficedula hypoleuca, 251–259.
Spacing of Golden Eagle nests, 406–408.
Spread of *Passer domesticus*, 132–137.
SPRINGER, A. M., *see* MURPHY, E. C.
STAHL, J. C., *see* WEIMERSKIRCH, H.
STEVENS, T. A. & KREBS, J. R., Retrieval of stored seeds by Marsh Tits *Parus palustris* in the field, 513–525.
Survival
Alectoris rufa, 57–64.
Buteo galapagoensis, 337–347.
Chionis alba, 53–54.
Perdix perdix, 57–64.
Phasianus colchicus, 57–64.
SUTHERLAND, W. J., JONES, D. W. F. & HADFIELD, R. W. Age differences in the feeding ability of Moorhens *Gallinula chloropus*, 414–418.

TERBORGH, J. W., Population densities of Amazonian birds: implications for conservation, 165–166.
Testicular growth of *Sturnus vulgaris*, 572–573.
THIOLLAY, J. M., Alteration of raptor communities along a succession from primary rain forest to secondary habitats on two continents, 172.
Tropical forest birds in Dominica, 168.
Tropical Forest Birds: Ecology and Conservation (Conference Abstracts), 163–175.
VAN TUINEN, P. & VALENTINE, M., Phylogenetic relationships of turacos (Musophagidae; Cuculiformes) based on comparative chromosome banding analysis, 364–381.

VALENTINE, M., *see* VAN TUINEN, P.
Vocalization
Procellaria aequinoctialis, 501–512.
Procellaria cinerea, 502.

WALLIN, L., Divergent character displacement in the song of two allospecies: the Pied Flycatcher *Ficedula hypoleuca* and the Collared Flycatcher *Ficedula albicollis*, 251–259.
WATSON, A. & ROTHERY, P., Regularity in spacing of Golden Eagle *Aquila chrysaetos* nests used within years in northeast Scotland, 406–408.
WEIMERSKIRCH, H., JOUVENTIN, P. & STAHL, J. C., Comparative ecology of the six albatross species breeding on the Crozet Islands.
WELLS, D. R., Dependence of northern migrants on evergreen forest in peninsular Malaysia, 173.
WHELAN, J., *see* MACDONALD, R. A.
WILSON, J. R., The Parc National des Volcans, Rwanda, as a conservation area for forest birds, 170–171.
WILSON, M. P., *see* WILSON, R. T.
WILSON, R. *see* YOM-TOV, Y.
WILSON, R. T., WILSON, M. P. & DURKIN, J. W., Breeding biology of the Barn Owl *Tyto alba* in central Mali, 81–90.
WINKLER, D. W. & COOPER, S. D., Ecology of migrant Black-necked Grebes *Podiceps nigricollis* at Mono Lake, California, 483–491.

YALDEN, D. W., Diet, food availability and habitat selection of breeding Common Sandpipers *Actitis hypoleucos*, 23–36.
YOM-TOV, Y., WILSON, R. & AR, A., Water loss from Jackass Penguin *Spheniscus demersus* eggs during natural incubation, 1–8.

ZACK, S., Behaviour and breeding biology of the comparatively breeding Grey-backed Fiscal Shrike *Lanius excubitorius* in Kenya, 214–233.
ZONFRILLO, B., Diet of Bulwer's Petrel *Bulweria bulwerii* in the Madeiran Archipelago, 570–572.

INDEX OF SCIENTIFIC NAMES OF BIRDS

appearing in original contributions. Each name is indexed under its genus and species and, if trinomial, also under its subspecies.

aalge, Uria, 79, 348.
abyssinica, Alcippe, 169.
Accipiter gentilis, 273, 326.
——nisus, 73, 273, 318, 537.
Achaeopteryx sp., 128.
Acrocephalus arundinaceus, 116, 243.
——dumetorum, 243.
——paludicola, 243.
——palustris, 243.
——schoenobaenus, 116, 243.
——scirpaceus, 243, 555.
——spp., 116.
Actitis hypoleucos, 23.
adeliae, Pygoscelis, 409.
Aegithalos caudatus, 246.
Aegolius funereus, 273.
aequinoctialis, Procellaria, 502.
aethiops, Myrmecochichla, 230.
——, Thamnophilus, 167.
africanus, Phalacrocorax, 563.
Agelaius phoeniceus, 318, 480.
Alauda arvensis, 242.
alba, Chionis, 48.
——, Egretta, 419.
——, Motacilla, 246.
——, Tyto, 81, 271.
albatrus, Diomedea, 500.
albicollis, Ficedula a., 253.
——, Ficedula, 244, 251.
albogulare, Malacopteron, 174.
albonotata, Elminia, 169.
Alcippe abyssinica, 169.
alcyon, Megaceryle, 401.
Alectoris rufa, 57.
alpestris, Eremophila, 246.
altera, Corapipo l., 100.
aluco, Strix, 88, 266.
Amazona dufresniana, 167.
amsterdamensis, Diomedea, 196.
Anarhynchus frontalis, 37.
Andropadus spp., 169.
ani, Crotophagu, 379.
Anser caerulescens, 318.
antarctica, Pygoscelis, 409.
Anthus campestris, 246.
——pratensis, 242, 537.
——spinoletta, 242.
——trivialis, 242.
Apalis chariessa, 170.
Aphelocoma coerulescens, 230.
Aptenodytes forsteri, 409.
——patagonicus, 20, 54.
Apteryx sp., 129.
Apus apus, 297.
apus, Apus, 297.
Aquila audax, 177.
——chrysaetos, 406.
arborea, Lullula, 246.
arctica, Fratercula, 79.
Ardea cinerea, 392.
——purpurea, 393.
Ardeola striata, 285.
argentatus, Larus, 49, 79, 295, 421, 426.
aristotelis, Phalacrocorax, 419, 563.
arquata, Pitta, 175.
arquatrix, Columba, 169.
arundinaceus, Acrocephalus, 116, 243.
arvensis, Alauda, 242.
Asio flammeus, 273.
——otus, 273.
assimilis, Puffinus, 510.
ater, Parus, 246.
Athene noctua, 273.
atricapilla, Sylvia, 243.
atricapillus, Parus, 267.
atriceps, Phalacrocorax, 54, 564.
audax, Aquila, 177.
aureola, Pipra, 101.
auriculata, Zenaida, 470
auritus, Phalacrocorax, 564.
averano, Procnias a., 167.
averano, Procnias, 167.

banyumas, Cyornis, 175
Batis capensis, 170.
benghelensis, Lonchure, 324.
biarmicus, Panurus, 244, 559.
bifax, Bulweria, 297.
Bombycilla garrulus, 246.
bonelli, Phylloscopus, 115.
borealis, Picoides, 318.
borin, Sylvia, 246.
brachydactyla, Certhia, 246.
brevis, Bycanistes, 169.
Bubo bubo, 273.
——viriginianus, 267.
bubo, Bubo, 273.
Bubulcus ibis, 419.
Buccanodon sp., 169.
bucinator, Bycanistes, 169.
bulleri, Diomedea, 500.
bulweri, Lophura, 175.
Bulweria bifax, 297.
——bulwerii, 511, 570.
——fallax, 297.
bulwerii, Bulweria, 511, 570.
Burhinus, oedicnemus, 38.
Buteo galapagoensis, 337.
Bycanistes brevis, 169.
——bucinator, 169.

cabanisi, Lanius, 214.
caerulea, Florida, 421.
caerulescens, Anser c., 318.
caerulescens, Anser, 318.
caeruleus, Parus, 244, 514.
calandra, Miliaria, 245.
Calandrella cinerea, 246.
Calcarius lapponicus, 245.
Calidris canutus, 556.
californianus, Gymnogyps, 348.
californicus, Larus, 484.
Calonectris diomedea, 423, 502.
Calyptomena hosei, 175.
Camarhynchus pallida, 289.
camelus, Struthio, 129.
campestris, Anthus, 246.
canadensis, Sitta, 138.
cannabina, Carduelis, 246.
canutus, Calidris, 556.
capensis, Batis, 170.
——, Phalacrocorax, 563.
——, Sula, 79.
——, Zonotrichia, 136.
carbo, Phalacrocorax c., 564.
——, Phalacrocorax, 564.
Carduelis cannabina, 246.
——carduelis, 246.
——chloris, 246.
——flammea, 138, 246.
——flavirostra, 246.
——hornemanni, 246.
——pinus, 138.
——spinus, 246.
carduelis, Carduelis, 246.
caripensis, Steatornis, 266.
Carpodacus erythrinus, 245.
caryocatactes, Nucifraga, 246.
castanops, Ploceus, 330.
Catharacta skua, 393, 421.

caudata, Coracias, 220.
caudatus, Aegithalos, 246.
——, Turdoides, 231.
caurinus, Corvus, 521.
cauta, Diomedea, 500.
ceciliae, Metriopelia, 136.
Cercomacra tyrannina, 167.
Certhia brachydactyla, 246.
——familiaris, 244.
Ceryle lugubris, 289.
cetti, Cettia, 243.
Cettia cetti, 243.
Ceyx erithacus, 173.
Chaimarrornis leucocephalus, 297.
Charadrius dubius, 38.
——hiaticula, 556.
chariessa, Apalis, 170.
Chionis alba, 48.
——minor, 50.
Chiroxiphia linearis, 345.
——spp., 101.
chloris, Carduelis, 246.
chloropus, Gallinula, 414.
chlororhynchos, Diomedea, 195, 500.
chrysaetos, Aquila, 406.
chrysolophus, Eudyptes, 409.
chrysostoma, Diomedea, 10, 195, 500.
cia, Emberiza, 246.
Cinclus cinclus, 35, 242.
cinclus, Cinclus, 35, 242.
cinctus, Parus, 246.
cinerea, Ardea, 392.
——, Creatophora, 223.
——, Motacilla, 246.
——, Procellaria, 502.
Cinnyricinlus leucogaster, 169.
Circus cyaneus, 326.
cirlus, Emberiza, 246.
Cisticola juncidis, 243, 558.
citrinella, Emberiza, 245.
Cladorhynchus spp., 46.
Clangula hyemalis, 489.
Coccothraustes coccothraustes, 246.
coccothraustes, Coccothraustes, 246.
coelebs, Fringilla, 245.
coerulescens, Aphelocoma c., 230.
coerulescens, Aphelocoma, 230.
colchicus, Phasianus, 57, 318.
collaris, Lanius, 228.
——, Prunella, 246.
Collocalia spp., 266.
collurio, Lanius, 228, 246.
collybita, Phylloscopus, 243.
Columba arquatrix, 169.
Columba livia, 268, 318, 365.
columbiana, Nucifraga, 521.
communis, Sylvia, 243.
concolor, Corythaixoides, 366.
Coracias caudata, 220.
Corapipo gutturalis, 91.
——leucorrhoa, 100.
——, spp., 91.
Corcorax melanorhamphus, 337.
coronatus, Phalacrocorax, 563.
corone, Corvus, 246.
corvina, Corvinella, 214, 337.
Corvinella corvina, 214, 337.
——melanoleucus, 214.
Corvus, caurinus, 521.
——corone, 246.
——frugilegus, 244, 345, 540.
——monedula, 244, 419.
corythaix, Tauraco, 366.
Corythaixoides concolor, 366.
——leucogaster, 366.
——spp., 366.
Corytheola cristata, 373.
Crax fasciolata, 167.
——sp., 167.
Creatophora cinerea, 223.
crestatus, Eudyptes, 1.
Crinifer personata, 375.
——piscator, 372.
——zonorus, 373.
criniger, Setornis, 174.
cristata, Corytheola, 373.
——, Galerada, 246.
cristatus, Parus, 246, 521.
Crotophaga ani, 379.
cucullatus, Ploceus, 331, 479.
curruca, Sylvia, 246.
curvirostra, Loxia, 246.
cyana, Cyanopica, 246.
cyane, Eritacus, 173.
cyanea, Passerina, 115.
cyaneus, Circus, 326.
Cyanocitta stelleri, 385.
Cyanopica cyana, 246.
Cyornis banyumas, 175.

dalhousiae, Psarisomas, 175.
daurica, Hirundo, 246.
delawarensis, Larus, 278, 321, 403, 421.
Delichon nipalensis, 297.
——urbica, 246, 297, 537.
Delichon spp., 297.
demersus, Spheniscus, 1.
Dendragapus obscurus, 284, 318.
dicrocephalus, Ploceus, 336.
Diomedea albatrus, 500.
——amsterdamensis, 196.
——bulleri, 500.
——cauta, 500.
——chlororhynchos, 195, 500.
——chrysostoma, 10, 195, 500.
——epomorpha, 9, 196, 500.
——exulans, 9, 195, 500.
——immutablis, 500.
——irrorata, 20, 492.
——melanophris, 10, 195.
——melanophrys, 500.
——nigripes, 500.
——spp., 10, 499.
diomedea, Calonectris, 423, 502.
distans, Thamnophilus a., 167
Diuca diuca, 136.
diuca, Diuca, 136.
domesticus, Gallus, 50, 318, 365.
——, Passer, 132, 245, 260.
dubius, Charadrius, 38.
dufresniana, Amazona, 167.
dumetorum, Acrocephalus, 243.
duvaucelii, Vanellus, 38.

Egretta alba, 419.
——garzetta, 419.
——intermedia, 419.
Elminia albonotata, 169.
Emberiza cia, 246.
——cirlus, 246.
——citrinella, 245.
——hortulana, 246.
——schoeniclus, 245.
epomorpha, Diomedea, 9, 196, 500.
Eremophila alpestris, 246.
Eritacus cyane, 173.
Erithacus rubecula, 115, 242.
erithacus, Ceyx, 173.
erythrinus, Carpodacus, 245.
erythrolophus, Tauraco, 366.
Eudyptes chrysolophus, 409.
——crestatus, 1.
europaea, Sitta, 246, 514.
Eurypia helias, 289.
excubitor, Lanius, 246.
excubitorius, Lanius, 214.
exulans, Diomedea, 9, 195, 500.

Falco peregrinus, 326.
——sparverius, 270, 326.
——subbuteo, 326.
fallax, Bulweria, 297.
familiaris, Certhia, 244.
fasciolata, Crax, 167.
Ficedula albicollis, 244, 251.

——hypoleuca, 79, 244, 251.
——parva, 246.
flammea, Carduelis, 138, 246.
flammeus, Asio, 273.
flava, Motacilla, 242.
flaveola, Sicalis, 136.
flavirostra, carduelis, 246.
Florida caerulea, 421.
formicivorus, Melanerpes, 231, 337.
forsteri, Aptenodytes, 409.
Fratercula arctica, 79.
Fringilla coelebs, 245.
——montifringilla, 246.
frontalis, Anarhynchus, 37.
frugilegus, Corvus, 244, 325, 540.
Fulmarus glacialis, 196, 290.
funereus, Aegolius, 273.
furcata, Oceanodroma, 502.
furensis, Ploceus t., 330.
fusca, Phoebetria, 195, 500.

gabar, Melierax, 220.
gaimardi, Phalacrocorax, 563.
galapagoensis, Buteo, 337.
Galerida cristata, 246.
Gallinula chloropus, 414.
——tenebrosa, 337.
Gallirex porphyroelophus, 365.
——spp., 366.
Gallus domesticus, 50, 318, 365.
Garrulus glandarius, 246, 521.
garrulus, Bombycilla, 246.
garzetta, Egretta, 419.
gentilis, Accipiter, 273, 326.
gentoo, Pygoscelis, 409.
glacialis, Fulmarus, 196, 290.
glandarius, Garrulus, 246, 521.
Glaucidium passerinum, 273.
——perlatum, 220.
grisegena, Podiceps, 489.
gurneyi, Turdus, 169.
guttata, Peophila, 325.
gutturalis, Corapipo, 91.
Gymnogyps californianus, 348.

Haematopus ostralegus, 43, 46, 382, 417.
——spp., 46.
Harpia spp., 165.
harrisi, Nannopterum, 566.
helias, Eurypia, 289.
heteroleuca, Corapipo h., 100.
hiaticula, Charadrius, 556.
Himantopus himantopus, 45, 418.
——novaezealandiae, 37.
——spp., 46.
himantopus, Himantopus, 45, 418.
Hippolais icterina, 246.
——pallida, 246.
Hirundo daurica, 246.
——rustica, 242, 298.
hirundo, Sterna, 278, 295.
hispanica, Oeneanthe, 246.
hispaniolensis, Passer, 246.
hoatzin, Opisthocomus, 365.
hornemanni, Carduelis, 246.
hortulana, Emberizia, 246.
hosei, Calyptomena, 175.
Hydrobates pelagicus, 502.
hyemalis, Clangula, 489.
hypoleuca, Ficedula, 79, 244, 251.
——, Pterodroma, 297, 511.
hypoleucos, Actitis, 23.

Ibidorhyncha struthersii, 37.
——spp., 46, 37.
ibis, Bubulcus, 419.
icterina, Hippolais, 246.
ignicapillus, Regulus, 246.
iliacus, Turdus, 246.
immutablis, Diomedea, 500.
infaustus, Perisoreus, 246.
intermedia, Egretta, 419.
intermedius, Ploceus, 330, 479.
irrorata, Diomedea, 20, 492.
isabellina, Oenanthe, 242.

jacksoni, Ploceus, 330.
jardinei, Turdoides, 230.
johnstoni, Ruwenzorornis, 373.
juncidis, Cisticola, 243, 558.

kurodai, Pterodroma, 297.

Lagopus lagopus, 65, 282.
——leucurus, 284.
——mutus, 297.
lagopus, Lagopus, 65, 282.
Lanius cabanisi, 214.
——collaris, 228.
——collurio, 228, 246.
——excubitor, 246.
——excubitorius, 214.
——minor, 246.
——senator, 246.
——spp., 228, 230.
lapponicus, Calcarius, 245.
Larus argentatus, 48, 79, 295, 421, 426.
——californicus, 484.
——delawarensis, 278, 321, 403, 421.
leucocephalus, Chaimarrornis, 297.
——, Himantopus h., 45.
leucogaster, Cinnyricinlus, 169.
——, Corythaixoides, 366.
leucolophus, Tauraco, 366.
leucomystax, Pogoniulus, 169.
leucorrhoa, Corapipo l., 101.
leucorrhoa, Corapipo, 101.
leucurus, Lagopus, 284.
linearis, Chiroxiphia, 345.
livia, Columba, 268, 318, 365.
livingstonii, Tauraco, 169.
lobus, Phalaropus, 484.
Locustella luscinoides, 559.
——naevia, 246.
lomvia, Uria, 349.
Lonchure benghelensis, 324.
Lophaetus occipitalis, 220.
Lophura bulweri, 175.
Loxia curvirostra, 246.
——scotica, 246.
lucidus, Phalacrocorax c., 564.
ludovicianus, Thryothorus, 116.
lugubris, Ceryle, 289.
Lullula arborea, 246.
Luscinia luscinia, 246.
——megarhynchos, 242.
——svecica, 246.
luscinia, Luscinia, 246.
luscinoides, Locustella, 559.
luteolus, Ploceus, 336.

magellanicus, Spinus, 136.
major, Parus, 73, 103, 246, 324, 514.
Malacopteron albogulare, 174.
Manacus manacus, 101.
manacus, Manacus, 101.
Manorina melanocephala, 337.
marina, Pelagodroma, 511.
Megaceryle alcyon, 401.
megarhynchos, Luscinia, 242.
Melanerpes formicivorus, 231, 337.
melanocephala, Manorina, 337.
melanocephalus, Ploceus, 330.
melanoleucos, Phalacrocorax, 563.
melanoleucus, Corvinella, 214.
melanophris, Diomedea, 10, 195, 500.
melanops, Turdoides, 230.
melanorhamphus, Corcorax, 337.
Melierax gabar, 220.
merula, Turdus, 243.

Metriopelia ceciliae, 136.
migrans, Milvus, 289.
Miliaria calandra, 245.
Milvus migrans, 289.
minor, Chionis, 50.
——, Lanius, 246.
Mitu mitu, 167.
mitu, Mitu m., 167.
mitu, Mitu, 167.
modularis, Prunella, 242, 337, 526.
mollis, Pterodroma, 511.
monedula, Corvus, 244, 419.
montanus, Parus, 246.
——, Passer, 246.
Monticola saxitalis, 246.
——solitarius, 246.
montifringilla, Fringilla, 246.
Morphnus, spp., 165.
mortierii, Tribonyx, 337.
Motacilla alba, 246.
——cinerea, 246.
——flava, 242.
muraria, Tichodroma, 246.
Muscicapa striata, 246, 401.
Musophaga rossae, 366.
——violacea, 373.
——spp., 366.
mutus, Lagopus, 297.
Myrmecochichla aethiops, 230.

naevia, Locustella, 246.
Nannopterum harrisi, 566.
nasutus, Tokus, 220.
nebulosa, Strix, 273.
neglectus, Phalacrocorax, 562, 564.
niger, Phalacrocorax, 563.
nigricollis, Podiceps, 483.
nigripes, Diomedea, 500.
nigrogularis, Phalacrocorax, 564.
nipalensis, Delichon, 297.
nisoria, Sylvia, 243.
nisus, Accipiter, 73, 273, 318, 537.
nivalis, Plectrophenax, 246.
nivea, Pagodroma, 502.
noctua, Athene, 273.
novaehollandiae, Phalacrocorax c., 563.
novaesi, Philydor, 167.
novaezealandiae, Himantopus, 37.
Nucifraga caryocatactes, 246.
Nucifraga columbiana, 521.
Numenius spp., 45.
Nyctea scandiaca, 273.
Nycticorax nycticorax, 419.
nycticorax, Nycticorax, 419.

obscurus, Dendragapus, 284, 318.
occipitalis, Lophaetus, 220.
Oceanodroma furcata, 502.
ochropus, Tringa, 38.
ochruros, Phoenicurus, 242.
oedicnemus, Burhinus, 38.
Oenanthe hispanica, 246.
——isabellina, 242.
——oenanthe, 243.
oenanthe, Oenanthe, 243.
olivaceus, Phalacrocorax, 563.
Onychognathus walleri, 169.
Opisthocomus hoatzin, 365.
Oriolus oriolus, 246.
oriolus, Oriolus, 246.
ostralegus, Haematopus, 43, 46, 382, 417.
Otus scops, 273.
otus, Asio, 273.
Oxyruncus spp., 93.

pacificus, Puffinus, 511.
Pagodroma nivea, 502.
pallida, Camarhynchus, 289.
——, Hippolais, 246.
palmarum, Thraupis, 136.
palpebrata, Phoebetria, 195, 500.
paludicola, Acrocephalus, 243.
palustris, Acrocephalus, 243.
palustris, Parus, 246, 513.
Panurus biarmicus, 244, 559.
Parabuteo unicinctus, 337.
paradoxus, Syrrhaptes, 297.
parasiticus, Stercorarius, 290.
Parus ater, 246.
——atricapillus, 267.
——caeruleus, 244, 514.
——cinctus, 246.
——cristatus, 246, 521.
——major, 73, 103, 246, 324, 514.
——montanus, 246.
——palustris, 246, 513.
——spp., 513.
parva, Ficedula, 246.
Passer domesticus, 132, 245, 260.
——hispaniolensis, 246.
——montanus, 246.
Passerina cyanea, 115.
passerinum, Glaucidium, 273.
patagonicus, Aptenodytes, 20, 54.
pelagicus, Hydrobates, 502.
——, Phalacrocorax, 563.
Pelagodroma marina, 511.
pelzelni, Ploceus, 331.
pendulinus, Remiz, 235, 244.
penicillatus, Phalacrocorax c., 564.
Peophila guttata, 325.
Perdix perdix, 57.
perdix, Perdix, 57.
peregrinus, Falco, 326.
Perisoreus infaustus, 246.
perlatum, Glaucidium, 220.
persa, Tauraco c., 366.
personata, Crinifer, 375.
Phalacrocorax africanus, 563.
——aristotelis, 419, 563.
——atriceps, 54, 564.
——auritus, 564.
——bougainvillii, 563.
——capensis, 563.
——carbo, 564.
——coronatus, 563.
——gaimardi, 563.
——melanoleucos, 563.
——neglectus, 562, 564.
——niger, 563.
——olivaceus, 563.
——pelagicus, 563.
——punctatus, 563.
——pygmaeus, 563.
——varius, 563.
Phalaropus lobatus, 484.
——tricolor, 484.
Phasianus colchicus, 57, 318.
philomelos, Turdus, 246.
Philydor novaesi, 167.
Phoebetria fusca, 500.
——palpebrata, 195, 500.
phoeniceus, Agelaius, 318, 480.
Phoeniculus purpureus, 230.
Phoenicurus ochruros, 242.
——phoenicurus, 242.
phoenicurus, Phoenicurus, 242.
Phylloscopus bonelli, 115.
——collybita, 243.
——sibiliatrix, 243.
——trochilus, 244.
——spp., 173, 235.
Pica pica, 246.
pica, Pica, 246.
Picoides borealis, 318.
pilaris, Turdus, 246.
pinima, Crax f., 167.
pinus, Carduelis, 138.
Pipra aureola, 101.
piscator, Crinifer, 372.
Pitta arquata, 175.
Plectrophenax nivalis, 246.
Ploceus castanops, 330.
——cucullatus, 331, 479.
——dicrocephalus, 336.
——intermedius, 330, 479.
——jacksoni, 330.

——luteolus, 336.
——melanocephalus, 330.
——pelzelni, 331.
——taeniopterus, 330.
——velatus, 330.
——victoriae, 330.
——spp., 330.
Podiceps grisegena, 489.
——nigricollis, 483.
Pogocichla stellata, 169.
Pogoniulus leucomystax, 169.
——leucomystax, 169.
Polyboroides radiatus, 220.
Pomatostomus temporalis, 230.
porphyreolophus, Gallirex, 366.
Porphyrio porphyrio, 337.
porphyrio, Porphyrio, 337.
porphyroelophus, Gallirex, 365.
pratensis, Anthus, 242, 537.
Procellaria aequinoctialis, 502.
——cinerea, 502.
Procnias averano, 167.
Prunella collaris, 246.
——modularis, 242, 337, 526.
Psarisomas dalhousiae, 175.
Pterodroma hypoleuca, 297, 511.
——kurodai, 297.
——mollis, 511.
——spp., 297, 511.
Puffinus assimilis, 510.
——pacificus, 511.
——puffinus, 79, 503.
——spp., 502.
puffinus, Puffinus, 79, 503.
punctatus, Phalacrocorax, 563.
purpurea, Ardea, 393.
purpureus, Phoeniculus, 230.
pygmaeus, Phalacrocorax, 563.
Pygoscelis adeliae, 409.
——antarctica, 409.
——gentoo, 409.
Pyrrhocorax pyrrhocorax, 246.
pyrrhocorax, Pyrrhocorax, 246.
Pyrrhula pyrrhula, 246, 392.
pyrrhula, Pyrrhula, 246, 392.

Quelea quelea, 469.
quelea, Quelea, 469.
querula, Zonotrichia, 390.
quiscala, Quiscalus, 319.
Quiscalus quiscala, 319.

radiatus, Polyboroides, 220.
Recervirostra spp., 46.
Regulus ignicapillus, 246.
——regulus, 246.
regulus, Regulus, 246.
reichardi, Ploceus, v., 334.
Remiz pendulinus, 235, 244.
Rhea sp., 129.
Rhinomyias ruficauda, 175.
rhodocorypha, Amazona d., 167.
Riparaia riparia, 246.
riparia, Riparaia, 246.
risoria, Streptopelia, 365.
Rissa tridactyla, 278, 295, 395.
roseus, Sturnus, 246.
rossae, Musophaga, 366.
rubecula, Erithacus, 115, 242.
rubetra, Saxicola, 246.
rufa, Alectoris, 57.
ruficauda, Rhinomyias, 175.
rustica, Hirundo, 242, 298.
Ruwenzorornis johnstoni, 373.

sabinoi, Cercomacra t., 167.
Sarothrura spp., 171.
Saxicola rubetra, 246.
——torquata, 242.
saxitalis, Monticola, 246.
scandiaca, Nyctea, 273.
schalowi, Tauraco c., 366.
schoeniclus, Emberiza, 245.
schoenobaenus, Acrocephalus, 116, 243.
scirpaceus, Acrocephalus, 243, 555.
scops, Otus, 273.
Scopus umbretta, 82.
scotica, Loxia, 246.
scoticus, Lagopus, l., 65.
semitorquata, Ficedula a., 252.
senator, Lanius, 246.
Serinus serinus, 246.
serinus, Serinus, 246.
Setornis criniger, 174.
Sialia sialis, 318.
sibiliatrix, Phylloscopus, 243.
Sicalia flaveola, 136.
——spp., 136.
sicki, Terenura, 167.
Sitta canadensis, 138.
——europaea, 246, 514.
skua, Catharacta, 393, 421.
solitarius, Monticola, 246.
sparverius, Falco, 270, 326.
speculigera, Ficedula, h., 256.
Spheniscus demersus, 1.
spinoletta, Anthus, 242.
Spinus magellanicus, 136.
spinus, Carduelis, 246.
Spizaetus spp., 165.
Spreo superbus, 223, 230.
squamiceps, Turdoides, 337.
Steatornis caripensis, 266.
stellata, Pogocichla, 169.
stelleri, Cyanocitta, 385.
Stercorarius parasiticus, 290.
Sterna hirundo, 278, 295.
Streptopelia risoria, 365.
striata, Ardeola, 285.
——, Muscicapa, 246, 401.
Strix aluco, 88, 266.
——nebulosa, 273.
——uralensis, 273.
struthersii, Ibidorhyncha, 37.
Struthio camelus, 129.
Sturnus roseus, 246.
——unicolor, 246.
——vulgaris, 244, 325, 558, 572.
subbuteo, Falco, 326.
Sula capensis, 79.
superbus, Spreo, 223, 230.
Surnia ulula, 273.
svecica, Luscinia, 246.
Sylvia atricapilla, 243.
——borin, 246.
——communis, 243.
——curruca, 246.
——nisoria, 243.
——undata, 537.
——spp., 169.
Syrrhaptes paradoxus, 297.
——tibetanus, 297.

taeniopterus, Ploceus t., 330.
taeniopterus, Ploceus, 330.
Tauraco corythaix, 366.
——erythrolophus, 366.
——leucolophus, 366.
——livingstonii, 169.
——spp., 366.
temporalis, Pomatostomus, 230.
tenebrosa, Gallinula, 337.
Terenura sicki, 167.
Tetrao tetrix, 65.
——urogallus, 65, 319.
Tetreogallus tibetanus, 297.
tetrix, Tetrao, 65.
Thamnophilus aethiops, 167.
Thraupis palmarum, 136.
Thryothorus ludovicianus, 116.
tibetanus, Syrrhaptes, 297.
——, Tetreogallus, 297.
Tichodroma muraria, 246.
Tokus nasutus, 220.
torquata, Saxicola, 242.
torquatus, Turdus, 246.
Tribonyx mortierii, 337.
tricolor, Phalaropus, 484.
tridactyla, Rissa, 278, 295, 395.

Tringa ochropus, 38.
——spp., 38.
trivialis, Anthus, 242.
trochilus, Phylloscopus, 244.
Troglodytes troglodytes, 242.
troglodytes, Troglodytes, 242.
Turdoides caudatus, 231.
——jardinei, 230.
——melanops, 230.
——squamiceps, 337.
——spp., 230.
Turdus gurneyi, 169.
——iliacus, 246.
——merula, 243.
——philomelos, 246.
——pilaris, 246.
——torquatus, 246.
——viscivorus, 246.
tyrannina, Cercomacra, 167.
Tyto alba, 81, 271.

uluensis, Ploceus v., 331.
ulula, Surnia, 273.
umbretta, Scopus, 82.
undata, Sylvia, 537.
unicinctus, Parabuteo, 337.
unicolor, Sturnus, 246.
uralensis, Strix, 273.
urbica, Delichon, 246, 297, 537.
Uria aalge, 79, 348.
——lomvia, 349.
urogallus, Tetrao, 65, 319.

Vanellus duvaucelii, 38.
varius, Phalacrocorax, 563.
velatus, Ploceus, 330.
victoriae, Ploceus, 330.
violacea, Musophaga, 373.
viriginianus, Bubo, 267.
viscivorus, Turdus, 246.
vulgaris, Sturnus, 244, 558, 572.

walleri, Onychognathus, 169.

Xanthocephalus xanthocephalus, 319.
xanthocephalus, Xanthocephalus, 319.

Zenaida auriculata, 470.
zonorus, Crinifer, 373.
Zonotrichia capensis, 136.
——querula, 390.